

TPMS assignment list, part 1

Status: November 2017



Aftermarket sensors																					
TPMS manufacturer name	Alligator	Alligator	Beru	Cub	Cub	Cub	Huf	Huf	Huf	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	
TPMS TN name	Alligator_1	Alligator_2	Beru_1	Cub_1	Cub_2	Cub_3	Huf_1	Huf_2	Huf_3	Schrader_1	Schrader_10	Schrader_11	Schrader_12	Schrader_13	Schrader_14	Schrader_15	Schrader_16	Schrader_17	Schrader_18	Schrader_19	Schrader_2
TPMS manufacturer name sensor type	RS3	RS4	Beru	Uni-Sensor	Uni-Sensor	Cub Snap-In	RE G2.4	RE G3.4	RE G3.5	Gen2/3	Gen Alpha	Gen Alpha	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen Gamma	REV5	Gen2/3
TPMS manufacturer number	590914	590918				From 10/2014			Only permissible up to 210 km/h		Version C9.8 (rubber feet)	Version WALLII	Version 10 LP SG 2.3	Version 10 LP CS 2.3	Version 20 STD LG 2.3	Version 20 LP CS 3.3	Version 20 STD CS 6.3	Version 27 LP SG 5.0, not in Europe			
Mounting instructions	Clamp-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In

Design Size Wheel type

RONAL																					
R10	7,0x15"	10R5704		✓		✓															
R10 polished	7,0x15"	10R5714		✓						✓											
R41	6,5x15"	41R5655	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓					✓	✓	
	7,0x16"	41R6705	✓	✓	✓	✓	✓		✓	✓	✓								✓	✓	
	7,5x16"	41R6755	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓					✓	✓	
	8,0x17"	41R7805	✓	✓	✓	✓	✓	✓		✓	✓			✓	✓				✓	✓	
	7,5x18"	41R8755	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓	✓		✓	✓	
	8,0x18"	41R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓	✓		✓	✓	
R42	5,0x14"	42R4504	✓		✓	✓			✓	✓									✓	✓	
	6,0x14"	42R460	✓	✓	✓	✓			✓	✓					✓	✓			✓	✓	
	6,0x15"	42R560	✓		✓	✓			✓	✓					✓	✓			✓	✓	
	6,5x15" 4-holes	42R5654	✓		✓	✓			✓	✓									✓	✓	
	6,5x15" 5-holes	42R5655	✓		✓	✓			✓	✓									✓	✓	
	7,0x15"	42R570	✓		✓	✓	✓		✓	✓					✓	✓			✓	✓	
	6,5x16"	42R665	✓	✓	✓	✓	✓		✓	✓					✓	✓			✓	✓	
	7,0x16"	42R670	✓	✓	✓	✓	✓		✓	✓									✓	✓	
	7,5x16"	42R675	✓	✓	✓	✓	✓	✓		✓	✓								✓	✓	
	7,0x17"	42R770	✓	✓	✓	✓	✓	✓		✓	✓				✓	✓			✓	✓	
	8,0x17"	42R7805	✓	✓	✓	✓	✓	✓	✓	✓					✓	✓			✓	✓	
	7,5x18"	42R875	✓	✓	✓	✓	✓	✓	✓	✓					✓	✓			✓	✓	
8,0x18"	42R8805	✓	✓	✓	✓	✓	✓	✓	✓					✓	✓			✓	✓		
R44	6,5x16"	44R6655	✓	✓	✓	✓	✓		✓	✓									✓	✓	
	6,5x16"	44R6665	✓	✓	✓	✓	✓		✓	✓									✓	✓	
	7,0x16"	44R6705	✓	✓	✓	✓	✓		✓	✓				✓	✓				✓	✓	
	7,0x17"	44R7706	✓	✓	✓	✓	✓		✓	✓									✓	✓	
R46	6,0x14" 4-holes	46R4604	✓	✓	✓	✓	✓		✓	✓			✓	✓					✓	✓	
	6,0x14" 5-holes	46R4605	✓	✓	✓	✓	✓		✓	✓									✓	✓	
	6,5x15" 4-holes	46R5654	✓	✓	✓	✓	✓		✓	✓									✓	✓	
	6,5x15" 5-holes	46R5655	✓	✓	✓	✓	✓		✓	✓									✓	✓	
7,0x16" 4-holes	46R6704	✓	✓	✓	✓	✓		✓	✓									✓	✓		

✓ mountable

TPMS notes
 1) 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 2) 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
 All statements without guarantee

TPMS assignment list, part 1

Status: November 2017



Aftermarket sensors																						
TPMS manufacturer name	Alligator	Alligator	Beru	Cub	Cub	Cub	Huf	Huf	Huf	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	
TPMS TN name	Alligator_1	Alligator_2	Beru_1	Cub_1	Cub_2	Cub_3	Huf_1	Huf_2	Huf_3	Schrader_1	Schrader_10	Schrader_11	Schrader_12	Schrader_13	Schrader_14	Schrader_15	Schrader_16	Schrader_17	Schrader_18	Schrader_19	Schrader_2	
TPMS manufacturer name sensor type	RS3	RS4	Beru	Uni-Sensor	Uni-Sensor	Cub Snap-In	RE G2.4	RE G3.4	RE G3.5	Gen2/3	Gen Alpha	Gen Alpha	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen Gamma	REV5	Gen2/3
TPMS manufacturer number	590914	590918				From 10/2014			Only permissible up to 210 km/h		Version C9.8 (rubber feet)	Version WALLI	Version 10 LP SG 2.3	Version 10 LP CS 2.3	Version 20 STD LG 2.3	Version 20 LP CS 3.3	Version 20 STD CS 6.3	Version 27 LP SG 5.0, not in Europe				
Mounting instructions	Clamp-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	

Design	Size	Wheel type																				
RONAL																						
R46	7,0x16" 5-holes	46R6705	✓	✓	✓	✓	✓		✓	✓	✓										✓	✓
	7,0x17" 4-holes	46R7704	✓	✓	✓	✓	✓		✓	✓	✓										✓	✓
	7,0x17" 5-holes	46R7705	✓	✓	✓	✓	✓		✓	✓	✓										✓	✓
	7,5x18"	46R8755	✓	✓	✓	✓	✓		✓	✓	✓										✓	✓
R47	9,5x20"	47R0955	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x16"	47R6755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	47R7805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	47R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R48	7,5x16"	48R6755	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	48R7805	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x18"	48R8855	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x18"	48R8865	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9,5x18"	48R8955	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x19"	48R9855	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R50	7,5x16" 4-holes	50R6754	✓	✓	✓	✓	✓		✓	✓						✓	✓	✓	✓	✓	✓	✓
	7,5x16" 5-holes	50R6755	✓	✓	✓	✓	✓		✓	✓						✓	✓	✓	✓	✓	✓	✓
	8,0x18"	50R8805	✓	✓	✓	✓	✓		✓	✓						✓	✓	✓	✓	✓	✓	✓
R51	6,5x15" 4-holes	51R5654	✓	✓	✓	✓	✓		✓	✓						✓	✓	✓	✓	✓	✓	✓
	6,5x15" 5-holes	51R5655	✓	✓	✓	✓	✓		✓	✓						✓	✓	✓	✓	✓	✓	✓
	7,0x16" 4-holes	51R6704	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16" 5-holes	51R6705	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	51R7805	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	51R8805	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x20"	51R0855	✓	✓	✓	✓	✓	✓	✓	✓												✓
R52	5,0x14" 4-holes	52R4504	✓		✓	✓	✓		✓	✓											✓	✓
	5,0x14" 5-holes	52R4505	✓		✓	✓	✓		✓	✓											✓	✓
	5,5x15" 4-holes	52R5554	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5,5x15" 5-holes	52R5555	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,0x16" 4-holes	52R6604	✓	✓	✓	✓	✓	✓	✓	✓											✓	✓
	6,0x16" 5-holes	52R6605	✓	✓	✓	✓	✓	✓	✓	✓	✓										✓	✓

✓ mountable

TPMS notes
 1) 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 2) 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
 All statements without guarantee

TPMS assignment list, part 1

Status: November 2017



Aftermarket sensors																						
TPMS manufacturer name	Alligator	Alligator	Beru	Cub	Cub	Cub	Huf	Huf	Huf	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	
TPMS TN name	Alligator_1	Alligator_2	Beru_1	Cub_1	Cub_2	Cub_3	Huf_1	Huf_2	Huf_3	Schrader_1	Schrader_10	Schrader_11	Schrader_12	Schrader_13	Schrader_14	Schrader_15	Schrader_16	Schrader_17	Schrader_18	Schrader_19	Schrader_2	
TPMS manufacturer name sensor type	RS3	RS4	Beru	Uni-Sensor	Uni-Sensor	Cub Snap-In	RE G2.4	RE G3.4	RE G3.5	Gen2/3	Gen Alpha	Gen Alpha	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen Gamma	REV5	Gen2/3
TPMS manufacturer number	590914	590918				From 10/2014			Only permissible up to 210 km/h		Version C9.8 (rubber feet)	Version WALLI	Version 10 LP SG 2.3	Version 10 LP CS 2.3	Version 20 STD LG 2.3	Version 20 LP CS 3.3	Version 20 STD CS 6.3	Version 27 LP SG 5.0, not in Europe				
Mounting instructions	Clamp-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In

Design Size Wheel type

RONAL

R53	5,5x14" 4-holes	53R4554																							
	5,5x14" 5-holes	53R4555																							
	6,0x15" 4-holes	53R5604																							
	6,0x15" 5-holes	53R5605																							
	6,5x15" 4-holes	53R5654																							
	6,5x15" 5-holes	53R5655																							
	6,5x16" 4-holes	53R6654																							
	6,5x16" 5-holes	53R6655																							
	7,0x16" 4-holes	53R6704																							
	7,0x16" 5-holes	53R6705																							
	7,0x17" 4-holes	53R7704																							
	7,0x17" 5-holes	53R7705																							
	7,0x17" LLKW	53R7715																							
	8,0x17"	53R7805																							
8,0x18"	53R8805																								
R54	6,5x15" 4-holes	54R5654																							
	6,5x15" 5-holes	54R5655																							
	7,0x16" 4-holes	54R6704																							
	7,0x16" 5-holes	54R6705																							
	7,0x17" 4-holes	54R7704																							
	7,0x17" 5-holes	54R7705																							
	8,0x17"	54R7805																							
	8,0x18"	54R8805																							
	9,0x18"	54R8905																							
	8,0x19"	54R9805																							
9,0x19"	54R9905																								
R55	7,5x17"	55R7755																							
	8,5x18"	55R8855																							
	9,0x19"	55R9905																							
	9,5x20"	55R0955																							
R56	6,0x15" 4-holes	56R5604																							
	6,0x15" 5-holes	56R5605																							

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee

ronal-wheels.com

TPMS assignment list, part 1

Status: November 2017



Aftermarket sensors																					
TPMS manufacturer name	Alligator	Alligator	Beru	Cub	Cub	Cub	Huf	Huf	Huf	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	
TPMS TN name	Alligator_1	Alligator_2	Beru_1	Cub_1	Cub_2	Cub_3	Huf_1	Huf_2	Huf_3	Schrader_1	Schrader_10	Schrader_11	Schrader_12	Schrader_13	Schrader_14	Schrader_15	Schrader_16	Schrader_17	Schrader_18	Schrader_19	Schrader_2
TPMS manufacturer name sensor type	RS3	RS4	Beru	Uni-Sensor	Uni-Sensor	Cub Snap-In	RE G2.4	RE G3.4	RE G3.5	Gen2/3	Gen Alpha	Gen Alpha	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen Gamma	REV5
TPMS manufacturer number	590914	590918				From 10/2014			Only permissible up to 210 km/h		Version C9.8 (rubber feet)	Version WALLI	Version 10 LP SG 2.3	Version 10 LP CS 2.3	Version 20 STD LG 2.3	Version 20 LP CS 3.3	Version 20 STD CS 6.3	Version 27 LP SG 5.0, not in Europe			
Mounting instructions	Clamp-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In

Design Size Wheel type

RONAL

R56	6,5x16" 4-holes	56R6654	✓	✓	✓	✓		✓	✓	✓		✓							✓	✓	
	6,5x16" 5-holes	56R6655	✓	✓	✓	✓		✓	✓	✓		✓							✓	✓	
	6,5x16" 5-holes	56R6665	✓	✓	✓	✓		✓	✓	✓		✓							✓	✓	
	7,0x17"	56R7705	✓	✓	✓	✓		✓	✓	✓		✓							✓	✓	
	8,0x17"	56R7805	✓	✓	✓	✓		✓	✓	✓		✓							✓	✓	
	8,0x18"	56R8805	✓	✓	✓	✓		✓	✓	✓		✓							✓	✓	
R57	7,0x17"	57R7704	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	7,5x17"	57R7755	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	7,5x18" 4-holes	57R8754	✓	✓	✓	✓	✓	✓	✓	✓									✓	✓	
	7,5x18" 5-holes	57R8755	✓	✓	✓	✓		✓	✓	✓									✓	✓	
R58	8,0x20"	58R0805	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	10,0x22"	58R2105	✓	✓	✓	✓		✓	✓	✓									✓	✓	
R59	7,0x16"	59R6705	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	7,5x18"	59R8755	✓	✓	✓	✓		✓	✓	✓									✓	✓	
URS	5,5x14"	URS455	✓	✓	✓	✓		✓	✓	✓									✓	✓	
LSX	7,0x16" 4-holes	LS6704	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	7,0x16" 5-holes	LS6705	✓	✓	✓	✓		✓	✓	✓									✓	✓	

Design Size Wheel type

SPEEDLINE CORSE

SL1	8,0x18"	SL1.8805		✓		✓		✓				✓							✓	✓	
	9,0x18"	SL1.8905		✓		✓		✓				✓							✓	✓	
	8,5x19"	SL1.9855	✓	✓		✓		✓		✓									✓	✓	
	9,5x19"	SL1.9955		✓		✓		✓											✓	✓	
SL2	6,5x15" 4-holes	SL2.5654	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	6,5x15" 5-holes	SL2.5655	✓	✓	✓	✓	✓	✓	✓	✓									✓	✓	
	7,0x16" 4-holes	SL2.6704	✓	✓	✓	✓		✓	✓	✓									✓	✓	

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee

ronal-wheels.com

TPMS assignment list, part 1

Status: November 2017

Aftermarket sensors																					
TPMS manufacturer name	Alligator	Alligator	Beru	Cub	Cub	Cub	Huf	Huf	Huf	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	
TPMS TN name	Alligator_1	Alligator_2	Beru_1	Cub_1	Cub_2	Cub_3	Huf_1	Huf_2	Huf_3	Schrader_1	Schrader_10	Schrader_11	Schrader_12	Schrader_13	Schrader_14	Schrader_15	Schrader_16	Schrader_17	Schrader_18	Schrader_19	Schrader_2
TPMS manufacturer name sensor type	RS3	RS4	Beru	Uni-Sensor	Uni-Sensor	Cub Snap-In	RE G2.4	RE G3.4	RE G3.5	Gen2/3	Gen Alpha	Gen Alpha	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen2/3	Gen Gamma	REV5	Gen2/3
TPMS manufacturer number	590914	590918				From 10/2014			Only permissible up to 210 km/h		Version C9.8 (rubber feet)	Version WALLI	Version 10 LP SG 2.3	Version 10 LP CS 2.3	Version 20 STD LG 2.3	Version 20 LP CS 3.3	Version 20 STD CS 6.3	Version 27 LP SG 5.0, not in Europe			
Mounting instructions	Clamp-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In

Design Size Wheel type

SPEEDLINE CORSE

SL2	7,0x16" 5-holes	SL2.6705	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	7,5x17" 4-holes	SL2.7754	✓	✓	✓	✓		✓	✓										✓	✓	
	7,5x17" 5-holes	SL2.7755	✓	✓	✓	✓		✓	✓										✓	✓	
	8,0x18"	SL2.8805	✓	✓	✓	✓		✓	✓										✓	✓	
	8,5x20"	SL2.0855	✓	✓	✓	✓		✓	✓										✓	✓	
9,5x20"	SL2.0955	✓		✓	✓		✓	✓						✓				✓	✓		
SL3	8,0x19"	SL3.9805	✓		✓	✓													✓	✓	
	9,0x19"	SL3.9905	✓		✓	✓													✓	✓	
	9,0x21"	SL3.1905	✓		✓	✓					✓	✓							✓	✓	
	10,5x21"	SL3.1155	✓		✓	✓													✓	✓	
SL3 polished	10,0x22"	SL3-2105	✓	✓	✓	✓	✓	✓	✓		✓	✓		✓		✓	✓	✓	✓		
SL4 polished	10,0x22"	SL4-2105	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓		✓	✓	✓	✓		
SL5	7,5x18"	SL5.8755			✓	✓		✓											✓	✓	
	8,0x18"	SL5.8805	✓	✓	✓	✓	✓	✓	✓					✓	✓	✓			✓	✓	
SL6	8,5x19"	SL6.9855	✓	✓	✓	✓		✓	✓	✓									✓	✓	
	9,5x19"	SL6.9955	✓	✓	✓	✓		✓	✓	✓									✓	✓	

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee