

TPMS assignment list, part 2

Status: November 2017



Aftermarket sensors																				
TPMS manufacturer name	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	TECH	TECH	VDO Conti	VDO Conti	VDO Conti	VDO Conti
TPMS TN name	Schrader_20	Schrader_21	Schrader_22	Schrader_23	Schrader_24	Schrader_25	Schrader_26	Schrader_27	Schrader_29	Schrader_3	Schrader_4	Schrader_5	Schrader_6	Schrader_8	TECH_1	TECH_2	VDO_1	VDO_2	VDO_3	VDO_4
TPMS manufacturer name sensor type	Gen4	High Speed Snap-In	High Speed Snap-In	High Speed Faraday	High Speed Faraday	Gen2/3	Gen Delta	EZ Sensor Clamp-In	EZ Sensor Gen6 Faraday Clamp-In	REV4.5	EZ Sensor Clamp-in	EZ Sensor Snap-in	Hybrid Alloy Dynamic	Gen J	T-Pro Snap-In	T-Pro Clamp-In	TG1B	TG1C	MB	MB
TPMS manufacturer number				EZ-Sensor 2.0	Identical to Low Speed Faraday	Version 20 STD HSG3.3 Gen3, 20 STD HSG3.3	Correspond to art. no 2200 EZ-Sensor 2.0 ab KW21/2015	Version from 09/2014	EZ-Sensor 2.0									Version Hurch	Distance casing valve seat 9 mm	Distance casing valve seat 5 mm
Mounting instructions	Clamp-In	Snap-In	Snap-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In

Design Size Wheel type

RONAL																				
R10	7,0x15"	10R5704	✓						✓	✓		✓				✓				
R10 polished	7,0x15"	10R5714							✓	✓		✓								
R41	6,5x15"	41R5655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16"	41R6705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x16"	41R6755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	41R7805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x18"	41R8755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	41R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R42	5,0x14"	42R4504		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,0x14"	42R460	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,0x15"	42R560		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x15" 4-holes	42R5654	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x15" 5-holes	42R5655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x15"	42R570	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x16"	42R665	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16"	42R670	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x16"	42R675	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x17"	42R770	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	42R7805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x18"	42R875	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8,0x18"	42R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
R44	6,5x16"	44R6655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x16"	44R6665	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16"	44R6705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x17"	44R7706	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R46	6,0x14" 4-holes	46R4604	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,0x14" 5-holes	46R4605	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x15" 4-holes	46R5654	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x15" 5-holes	46R5655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16" 4-holes	46R6704	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee

TPMS assignment list, part 2

Status: November 2017



Aftermarket sensors																				
TPMS manufacturer name	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	TECH	TECH	VDO Conti	VDO Conti	VDO Conti	VDO Conti
TPMS TN name	Schrader_20	Schrader_21	Schrader_22	Schrader_23	Schrader_24	Schrader_25	Schrader_26	Schrader_27	Schrader_29	Schrader_3	Schrader_4	Schrader_5	Schrader_6	Schrader_8	TECH_1	TECH_2	VDO_1	VDO_2	VDO_3	VDO_4
TPMS manufacturer name sensor type	Gen4	High Speed Snap-In	High Speed Snap-In	High Speed Faraday	High Speed Faraday	Gen2/3	Gen Delta	EZ Sensor Clamp-In	EZ Sensor Gen6 Faraday Clamp-In	REV4.5	EZ Sensor Clamp-In	EZ Sensor Snap-In	Hybrid Alloy Dynamic	Gen J	T-Pro Snap-In	T-Pro Clamp-In	TG1B	TG1C	MB	MB
TPMS manufacturer number				EZ-Sensor 2.0	Identical to Low Speed Faraday	Version 20 STD HSG3.3 Gen3, 20 STD HSG3.3	Correspond to art. no 2200 EZ-Sensor 2.0 ab KW21/2015	Version from 09/2014	EZ-Sensor 2.0									Version Hurch	Distance casing valve seat 9 mm	Distance casing valve seat 5 mm
Mounting instructions	Clamp-In	Snap-In	Snap-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In

Design Size Wheel type

RONAL																				
R46	7,0x16" 5-holes	46R6705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x17" 4-holes	46R7704	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x17" 5-holes	46R7705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x18"	46R8755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R47	9,5x20"	47R0955	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x16"	47R6755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	47R7805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	47R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R48	7,5x16"	48R6755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	48R7805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x18"	48R8855	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x18"	48R8865	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9,5x18"	48R8955	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x19"	48R9855	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R50	7,5x16" 4-holes	50R6754	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x16" 5-holes	50R6755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	50R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R51	6,5x15" 4-holes	51R5654	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x15" 5-holes	51R5655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16" 4-holes	51R6704	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16" 5-holes	51R6705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	51R7805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	51R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x20"	51R0855	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R52	5,0x14" 4-holes	52R4504	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5,0x14" 5-holes	52R4505	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5,5x15" 4-holes	52R5554	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5,5x15" 5-holes	52R5555	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,0x16" 4-holes	52R6604	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,0x16" 5-holes	52R6605	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee

TPMS assignment list, part 2

Status: November 2017



Aftermarket sensors																				
TPMS manufacturer name	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	TECH	TECH	VDO Conti	VDO Conti	VDO Conti	VDO Conti
TPMS TN name	Schrader_20	Schrader_21	Schrader_22	Schrader_23	Schrader_24	Schrader_25	Schrader_26	Schrader_27	Schrader_29	Schrader_3	Schrader_4	Schrader_5	Schrader_6	Schrader_8	TECH_1	TECH_2	VDO_1	VDO_2	VDO_3	VDO_4
TPMS manufacturer name sensor type	Gen4	High Speed Snap-In	High Speed Snap-In	High Speed Faraday	High Speed Faraday	Gen2/3	Gen Delta	EZ Sensor Clamp-In	EZ Sensor Gen6 Faraday Clamp-In	REV4.5	EZ Sensor Clamp-In	EZ Sensor Snap-In	Hybrid Alloy Dynamic	Gen J	T-Pro Snap-In	T-Pro Clamp-In	TG1B	TG1C	MB	MB
TPMS manufacturer number				EZ-Sensor 2.0	Identical to Low Speed Faraday	Version 20 STD HSG3.3 Gen3, 20 STD HSG3.3	Correspond to art. no 2200 EZ-Sensor 2.0 ab KW21/2015	Version from 09/2014	EZ-Sensor 2.0									Version Hurch	Distance casing valve seat 9 mm	Distance casing valve seat 5 mm
Mounting instructions	Clamp-In	Snap-In	Snap-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In

Design Size Wheel type

RONAL																				
R53	5,5x14" 4-holes	53R4554		✓	✓	✓				✓		✓	✓	✓		✓	✓	✓		
	5,5x14" 5-holes	53R4555																		
	6,0x15" 4-holes	53R5604	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		
	6,0x15" 5-holes	53R5605	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		
	6,5x15" 4-holes	53R5654	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		
	6,5x15" 5-holes	53R5655	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		
	6,5x16" 4-holes	53R6654	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		
	6,5x16" 5-holes	53R6655	✓	✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓	✓		✓
	7,0x16" 4-holes	53R6704	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	7,0x16" 5-holes	53R6705	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	7,0x17" 4-holes	53R7704	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	7,0x17" 5-holes	53R7705	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	7,0x17" LLKW	53R7715	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	8,0x17"	53R7805	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
8,0x18"	53R8805	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓	
R54	6,5x15" 4-holes	54R5654	✓					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓		
	6,5x15" 5-holes	54R5655	✓					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓		
	7,0x16" 4-holes	54R6704	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	7,0x16" 5-holes	54R6705	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	7,0x17" 4-holes	54R7704	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	7,0x17" 5-holes	54R7705	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	8,0x17"	54R7805	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	8,0x18"	54R8805	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	9,0x18"	54R8905	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	8,0x19"	54R9805	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
	9,0x19"	54R9905	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓		✓
R55	7,5x17"	55R7755	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		✓
	8,5x18"	55R8855	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		✓
	9,0x19"	55R9905	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		✓
	9,5x20"	55R0955	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R56	6,0x15" 4-holes	56R5604	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		✓
	6,0x15" 5-holes	56R5605	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		✓

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee

TPMS assignment list, part 2

Status: November 2017

Aftermarket sensors																				
TPMS manufacturer name	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	TECH	TECH	VDO Conti	VDO Conti	VDO Conti	VDO Conti
TPMS TN name	Schrader_20	Schrader_21	Schrader_22	Schrader_23	Schrader_24	Schrader_25	Schrader_26	Schrader_27	Schrader_29	Schrader_3	Schrader_4	Schrader_5	Schrader_6	Schrader_8	TECH_1	TECH_2	VDO_1	VDO_2	VDO_3	VDO_4
TPMS manufacturer name sensor type	Gen4	High Speed Snap-In	High Speed Snap-In	High Speed Faraday	High Speed Faraday	Gen2/3	Gen Delta	EZ Sensor Clamp-In	EZ Sensor Gen6 Faraday Clamp-In	REV4.5	EZ Sensor Clamp-In	EZ Sensor Snap-in	Hybrid Alloy Dynamic	Gen J	T-Pro Snap-In	T-Pro Clamp-In	TG1B	TG1C	MB	MB
TPMS manufacturer number				EZ-Sensor 2.0	Identical to Low Speed Faraday	Version 20 STD HSG3.3 Gen3, 20 STD HSG3.3	Correspond to art. no 2200 EZ-Sensor 2.0 ab KW21/2015	Version from 09/2014	EZ-Sensor 2.0									Version Hurch	Distance casing valve seat 9 mm	Distance casing valve seat 5 mm
Mounting instructions	Clamp-In	Snap-In	Snap-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In

Design Size Wheel type

RONAL

R56	6,5x16" 4-holes	56R6654	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x16" 5-holes	56R6655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x16" 5-holes	56R6665	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x17"	56R7705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x17"	56R7805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	56R8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R57	7,0x17"	57R7704	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x17"	57R7755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x18" 4-holes	57R8754	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x18" 5-holes	57R8755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R58	8,0x20"	58R0805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	10,0x22"	58R2105	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
R59	7,0x16"	59R6705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x18"	59R8755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
URS	5,5x14"	URS455	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
LSX	7,0x16" 4-holes	LS6704	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16" 5-holes	LS6705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Design Size Wheel type

SPEEDLINE CORSE

SL1	8,0x18"	SL1.8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9,0x18"	SL1.8905	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x19"	SL1.9855	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9,5x19"	SL1.9955	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SL2	6,5x15" 4-holes	SL2.5654	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6,5x15" 5-holes	SL2.5655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,0x16" 4-holes	SL2.6704	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee

TPMS assignment list, part 2

Status: November 2017

Aftermarket sensors																				
TPMS manufacturer name	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	Schrader	TECH	TECH	VDO Conti	VDO Conti	VDO Conti	VDO Conti
TPMS TN name	Schrader_20	Schrader_21	Schrader_22	Schrader_23	Schrader_24	Schrader_25	Schrader_26	Schrader_27	Schrader_29	Schrader_3	Schrader_4	Schrader_5	Schrader_6	Schrader_8	TECH_1	TECH_2	VDO_1	VDO_2	VDO_3	VDO_4
TPMS manufacturer name sensor type	Gen4	High Speed Snap-In	High Speed Snap-In	High Speed Faraday	High Speed Faraday	Gen2/3	Gen Delta	EZ Sensor Clamp-In	EZ Sensor Gen6 Faraday Clamp-In	REV4.5	EZ Sensor Clamp-In	EZ Sensor Snap-In	Hybrid Alloy Dynamic	Gen J	T-Pro Snap-In	T-Pro Clamp-In	TG1B	TG1C	MB	MB
TPMS manufacturer number				EZ-Sensor 2.0	Identical to Low Speed Faraday	Version 20 STD HSG3.3 Gen3, 20 STD HSG3.3	Correspond to art. no 2200 EZ-Sensor 2.0 ab KW21/2015	Version from 09/2014	EZ-Sensor 2.0									Version Hurch	Distance casing valve seat 9 mm	Distance casing valve seat 5 mm
Mounting instructions	Clamp-In	Snap-In	Snap-In	Snap-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Snap-In	Clamp-In	Snap-In	Snap-In	Clamp-In	Snap-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In	Clamp-In

Design Size Wheel type

SPEEDLINE CORSE

SL2	7,0x16" 5-holes	SL2.6705	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x17" 4-holes	SL2.7754	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7,5x17" 5-holes	SL2.7755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	SL2.8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,5x20"	SL2.0855	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
9,5x20"	SL2.0955	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SL3	8,0x19"	SL3.9805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9,0x19"	SL3.9905	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9,0x21"	SL3.1905	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	10,5x21"	SL3.1155	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SL3 polished	10,0x22"	SL3-2105	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SL4 polished	10,0x22"	SL4-2105	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SL5	7,5x18"	SL5.8755	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8,0x18"	SL5.8805	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SL6	8,5x19"	SL6.9855	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9,5x19"	SL6.9955	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ mountable

TPMS notes

- 590914, optional with screw-on valve item no. 590904, 590906, 590908, 590910
 - 590918 with snap-in valve item no. 590916. Only permissible up to 210 km/h
- All statements without guarantee